



SUPPLEMENT TO CERTIFICATE No. CF5229

SUPPLEMENT No. 358385 – Issue 2

This supplement is issued as an amendment to the Certificate of which it constitutes an integral part. It should be read in conjunction with the Certificate and any other supplements in force at the time. Supplements are incorporated into Certificates at the time of their re-issue.

DOORPAC LIMITED

6 Ranskill Court, Sheffield, South Yorkshire, W9 5FZ

Tel: 0114 256 1615

CERTIFIED PRODUCT

Doorpac Limited – CF5229 - FD60 Strebord 54 Timber Door Blanks

SCOPE OF SUPPLEMENT:

Addition of timber panels to the push side of the door, allowing the door and frame to be flush on the push face

- Panels shall be, 16 mm MDF, 18 mm MDF, 18 mm Chipboard or 38 mm Egger Eurolight, fixed to the leaf with PVA adhesive on the push side of the doorset.
- Hinges used with the door assembly should be appropriate to the mass of the door in accordance with BS EN1935, and in addition should meet the requirements identified within CF 5229, as appropriate.

All other scope relating to doorset design and configuration should comply with CF 5229.

Issued for and on behalf of CERTIFIRE

P Duggan – Manager

Issued: 21st September 2021

Valid to: 20th September 2026



SUPPLEMENT TO CERTIFICATE No. CF5229 SUPPLEMENT No. 358385 – Issue 2

This supplement is issued as an amendment to the Certificate of which it constitutes an integral part. It should be read in conjunction with the Certificate and any other supplements in force at the time. Supplements are incorporated into Certificates at the time of their re-issue.

