



Glazing Must Be To This Drawing - Do NOT Mix  
Glazing Systems Even If They Appear The Same



Bead Profile - See DP14950



Quality Standard Of Glazed Aperture To Work Instruction - WI\_21


Only Employees With A Signed Training Record For This Glazing System To Use This Glazing System

Approved Glass								
Glass Type	Material Specification For Glass	Beading Drawing	Material Specification For Beading	Maximum Height (mm)	Maximum Width (mm)	Maximum Area (m²)		
6.4mm Laminated	MS_006	DP14950	MS_007	N/A	N/A	N/A	Machined Aperture 17mm Larger Than Glass	Lined Aperture 5mm Larger Than Glass

Do Not Scale.

If In Doubt Ask!

Description: **Glazing System - 6.4mm Laminated Glass - Flush Bead - 44/45mm Doors - NFR**

Drawn By: <b>P. Brash</b>	Approved: <b>Approved</b>	Date: <b>03/12/2020</b>	Drawing No: <b>DP19047</b>	 Unit 6, Ranskill Court, Sheffield, S9 5FZ
Size: <b>See Above</b>	Tolerance: <b>+/- 0.5mm</b>	Fire Rating: <b>NFR</b>	REV 00	
Job No: <b>N/A</b>	© Doorpac Ltd			