


Glazing Must Be To This Drawing - Do NOT Mix
Glazing Systems Even If They Appear The Same

All Dimensions Are
In mm Unless Stated



Quality Standard Of Glazed Aperture To Work Instruction - WI_21

Only Employees With A Signed Training Record For This Glazing System To Use This Glazing System

Approved Glass

Glass Type	Glass Certificate	Material Specification For Glass	Beading Drawing	Material Specification For Beading	Maximum Width (mm)	Maximum Height (mm)	Maximum Area (m²)	Machined Aperture Width 5mm Larger & Height 7mm Larger Than Glass
7mm Pyroguard	CF5260	MS_006	DP18904	MS_007	375(W) @1650(H)	2063(H) @300(W)	0.62	

Do Not Scale.

If In Doubt Ask!

Description: **Glazing System - FD30 - 7mm Pyroguard Glass - 44mm Flamebreak Door - Bolection Bead**

© Doorpac Ltd

Drawn By: O BOOY	Approved: Approved	Date: 12/01/2026	Cert / FoA Ref: CF5260	Drawing No: DP16444	doorpac Unit 6, Ranskill Court, Sheffield, S9 5FZ
Size: As Above	Rev:	Fire Rating: FD30S			
Job No:	Tolerance: ±0.25mm			Rev 02	