



Quality Standard Of Glazed Aperture To Work Instruction - WI\_21

Only Employees With A Signed Training Record For This Glazing System To Use This Glazing System

**Approved Glass**

Glass Type	Glass Certificate	Material Specification For Glass	Beading Drawing	Material Specification For Beading	Maximum Width (mm)	Maximum Height (mm)	Maximum Area (m <sup>2</sup> )	Machined Aperture Width 17mm Larger & Height 19mm Larger Than Glass	Lined Aperture Width 5mm Larger & Height 7mm Larger Than Glass
Pyrobel 25	CF377	MS_006	DP15532 Rev01	MS_007	604(W) @1830(H)	1830(H) @604(W)	1.12		

Do Not Scale.

If In Doubt Ask!

Description: **Glazing System - FD60 - Pyrobel 25 Glass - 54mm Strebord Door - Bolection Bead**

© Doorpac Ltd

Drawn By: <b>O BOOY</b>	Approved: <b>Approved</b>	Date: <b>13/01/2026</b>	Cert / FoA Ref: <b>CF377</b>	Drawing No: <b>DP15533</b>	<b>doorpac</b> Unit 6, Ranskill Court, Sheffield, S9 5FZ
Size: <b>As Above</b>	Rev:	Fire Rating: <b>FD60S</b>			
Job No:	Tolerance: <b>±0.25mm</b>				