



Quality Standard Of Glazed Aperture To Work Instruction - WI_21

Only Employees With A Signed Training Record For This Glazing System To Use This Glazing System

Approved Glass

Glass Type	Glass Certificate	Material Specification For Glass	Beading Drawing	Material Specification For Beading	Maximum Width (mm)	Maximum Height (mm)	Maximum Area (m ²)	Machined Aperture	Lined Aperture
12mm Pyrobelite	CF377	MS_006	DP12842	MS_007	604(W) @1830(H)	1830(H) @604 (W)	1.12	Width 17mm Larger & Height 19mm Larger Than Glass	Width 5mm Larger & Height 7mm Larger Than Glass
Pyrobel 16mm	CF377	MS_006	DP12843	MS_007	604(W) @1830(H)	1830(H) @710(W)	1.12		

Do Not Scale.

If In Doubt Ask!

Description: Glazing System - FD60 - 12mm Pyrobelite & Pyrobel 16 Glass - 54mm Door - Bolection Bead

© Doorpac Ltd

Drawn By: O BOOY	Approved: Approved	Date: 13/01/2026	Cert / FoA Ref: CF377	Drawing No: DP17980	doorpac
Size: As Above	Rev:	Fire Rating: FD60S			Unit 6, Ranskill Court, Sheffield, S9 5FZ
Job No:	Tolerance: ±0.25mm				